## ART clinic (Level 1/Level 2 )/ART bank (To be issued in duplicate) Certificate Of Registration [See rule 8]

## Certificate No.: TS/AC/2022/12347/L2/ WARANGAL URBAN/139

- out Assisted Reproductive Technology procedures as per the aforesaid Act, for a period Reproductive Technology (Regulation) Act, 2021, the Appropriate Authority Telangana State hereby grants registration to the ART Clinic named below for purposes of carrying In exercise of the powers conferred under Section 16 (1) of the Assisted .03+.2023 ending on 27 .04.2028
- Fertility PVT LTD), 2nd Floor Press Club Building. Opposite Fire Station, Hanamkonda (a) Name and address of the ART Clinic; EVA IVF (A Unit of Prashanthi Centre for

4	ω	2		S.No.
Embryalogist	Gynaecologist	Gynaecologist	Director & Gynaecologist	Name of the Post
Mr Venkateshwara	Dr Akurtati Lahari	Dr M Suvarna Ratnam Matia	Dr Ashwarya Nupur	Name of the Staff
Clinical Embryologist	D G O .Fellowship in Reproductive Medicine	MS OBGYN	MS OBGYN	Qualification
	TSMC/FMR/15793	APMC/FMR/76767	APMC/FMR/89461	Registration No (if applicable)

- (b) Type of institution (Government or Private) and; Private
- (c) Type of facility: Level 2

S

per the aforesaid Act, for a period of
(a) Name and address of the ART Bank;
(b) Type of institution (Govt. / Private). The ART Bank named below for purposes of carrying out activities and procedures as ending on ...

- registration before the expiry of the said period of five years any contravention there of shall result in suspension or cancellation of this certificate of This registration is granted subject to the aforesaid Act and Rules there under and
- Registration No. allotted: TS/AC/2022/12347/L2/ WARANGAL URBAN/139
- Registration from For renewed Certificate of Registration only: Period of validity of earlier Certificate of ö

Signature, Name and Designation of the Appropriate Authority

Assisted Reproductive Technology (Regulation) Act & Surropacy (Regulation) Act, Tolongana State Chair Person & State Appropriate Authority

28.04.2023

Place: Hyderabad

Display one copy of this certificate at a conspicuous place at the place of business

Strike out whichever is not applicable or necessary